

**Application for a CERTIFICATE OF ZONING COMPLIANCE for  
Irrigation Wells, Irrigation Pivots and Related Structures  
York County, Nebraska**

Date of Application: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_

Name of Property Owner: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_ ZIP \_\_\_\_\_

Telephone No: \_\_\_\_\_

Name of Well Driller: \_\_\_\_\_  
(if applicable)

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_ ZIP \_\_\_\_\_

Telephone No: \_\_\_\_\_

Name of Pivot Dealer: \_\_\_\_\_  
(if applicable)

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_ ZIP \_\_\_\_\_


Telephone No: \_\_\_\_\_

Legal Description of land on which irrigation well / irrigation pivot is to be installed: \_\_\_\_\_

**Sketch the location of all proposed installations showing all abutting road rights-of-way, road names, bridges or culverts under such roads (exclude driveway culverts), and applicable setback dimensions in the box below:**

**Minimum Requirements:**

1. No pivot end gun or any other part of a pivot shall, at any time, extend into any public road right-of-way.
2. The closest point of any new irrigation well, pivot point, pivot pad, well house, fuel tank or pump motor closest to a public road (Federal, State or County) shall be at least ten (10) feet from the right-of-way line of such road, *except that*
3. Where any irrigation well, pivot point, pivot pad, well house, fuel tank or pump motor is located at the intersection of any public roads, the closest point of any such installation shall NOT be located in a triangle created by measuring along each of the right-of-way lines of the intersecting roads from the intersection of the right-of-way lines a distance of forty two and one-half (42.5) feet and a straight line connecting the two forty two and one-half (42.5) feet points, and
4. Where any irrigation well, pivot point, pivot pad, well house, fuel tank or pump motor is located within one hundred (100) feet to the nearest point of any bridge or culvert underneath (excluding driveway culverts) a public road, measured parallel to the roadway, the closest point of any such installation shall be set back at least thirty (30) feet from the right-of-way line of such roadway.



This application for a CERTIFICATE OF ZONING COMPLIANCE is *approved / denied* on this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
Signature of Zoning Administrator or Deputy